

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**

THIS PAGE BLANK (USPTO)

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A01N 25/00, 25/08, 59/00 // (A01N 59/00, 57:20, 63:04, 53:00, 47:34, 39:04, 39:02, 61:00)	A1	(11) International Publication Number: WO 97/12516 (43) International Publication Date: 10 April 1997 (10.04.97)
(21) International Application Number: PCT/GB96/02407 (22) International Filing Date: 30 September 1996 (30.09.96) (30) Priority Data: 9520033.3 30 September 1995 (30.09.95) GB (71) Applicant (for all designated States except US): INSECT INVESTIGATIONS LIMITED [GB/GB]; University of Wales Cardiff, P.O. Box 915, Cardiff CF1 3TL (GB). (72) Inventors; and (75) Inventors/Applicants (for US only): LANGLEY, Peter, Anthony [GB/GB]; Marwood, Ladymead Lane, Langford, Bristol BS18 7ED (GB). DENT, David, Roger [GB/GB]; 21 Nursery Close, Fleet, Hants GU13 9JE (GB). (74) Agent: AUSTIN, Hedley, William; Urquhart-Dykes & Lord, Alexandra House, 1 Alexandra Road, Swansea SA1 5ED (GB).		(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: ADMINISTRATION OF BIOLOGICALLY ACTIVE MATERIAL (57) Abstract A living organism having a cuticular covering is administered with biologically active material in admixture with amorphous powdered silica, so as to disrupt the cuticular covering and permit the biologically active material to pass through the covering. The biologically active material may be a weedkiller or insecticide.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

-1-

Administration of Biologically Active Material

The present invention relates to a method of administering a biologically active material to a living organism having a cuticular covering, such as weed or insect.

Hormonal weedkillers are typically selective for broad leaved dicotyledonous species of weeds. Grasses or the like are monocotyledonous and therefore are not significantly affected by the action of such weedkillers. Typically application of recommended doses of such weedkillers results in penetration of the waxy protective outer layer of the cuticle, and consequent entry into the plant tissue causing aberrant growth of the weed. The weed should therefore, in theory, become exhausted and die. However, in practice it is often necessary to apply the weedkiller; repeatedly total eradication of the weed is rarely achieved.

Contact insecticides act in a similar manner; they penetrate the target insect cuticle by reason of their solubility in the waxy protective outer layer of the cuticle. The insecticides enter the insect's body and disrupt nervous or other metabolic functions resulting in death of the insect. Such penetration may, however, not be highly efficient.


It is therefore an object of the present invention to alleviate such difficulties and to provide weedkiller and insecticide formulations which are of substantially increased effectiveness.

Thus, according to the present invention, there is provided a method of administering a biologically active material to a living organism having a cuticular covering, which method comprises administering a mixture of amorphous, powdered silica and the biologically active material so as to interfere with the integrity of the waxy outer layer of the cuticular covering and permit the biologically active material to pass through the covering. Desirably, the biologically active material is one which kills the organism.

-2-

According to a first aspect of the present invention the living organism is a weed.

Typically, the biologically active material comprises at least one compound of the Formula I, together with a carrier



(I)

where X is a halogen atom and R is either halogen or a lower alkyl group and R' is either hydrogen or a lower alkyl group.

Preferably, the biologically active material contains two compounds of Formula I, the compounds being 2-(4-dichlorophenoxy) acetic acid and 2-(4-chloro-o-tolyloxy) propionic acid.

These compounds are known to be selective weedkillers; a formulation containing the two compounds is commercially available under the trade mark SUPERTOX™. The addition of silicon dioxide to such a known formulation results in a surprising synergistic effect which advantageously is selective for broad leaved dicotyledonous weed species, and furthermore has no visible effect on the grasses or other monocotyledonous plants.

Preferably, the carrier is aqueous, more preferably substantially pure water. In one embodiment of the first aspect of the present invention the silicon dioxide may be synthetic amorphous silicon dioxide; the silicon dioxide may be substantially anhydrous until mixed with the carrier.

According to a second aspect of the present invention the living organism is an insect.

Typically, the biologically active material comprises deltamethrin, triflumuron or a fungus.

-3-

Preferably, when the living organism is a fungus, the fungus comprises *Beauveria bassiana*.

The invention may be more clearly understood from the following illustrative examples.

Example 1

Six trays each of 20 daisies (3 weeks post transplant) were treated as follows:

- i) 20ml of synthetic amorphous silicon dioxide in 1 litre of water was applied to two daisy trays as a control;
- ii) 25ml of the Supertox formulation in 1 litre of water was applied to two trays of daisies;
- iii) 25ml of Supertox in 1 litre of water plus 20ml of synthetic amorphous silicon dioxide was applied to two trays of daisies.

The soil in the trays was watered daily and placed in a randomised design in the glasshouse.

The results of the experiment after three weeks showed that the formulation comprising both Supertox and the silicon dioxide was highly selective for the daisies, and were as follows:

- i) The control application of silicon dioxide alone had no effect on the daisies;
- ii) The Supertox weedkiller used alone resulted in recovery of the daisies;
- iii) The combined formulation of silicon dioxide and Supertox completely eradicated the daisies.

Further application of the combined formulation to daisies on a lawn resulted in no destruction of the grasses, which were visibly unharmed.

Example 2

Eight plots (each ca. 10 m²) were marked out on an area of unmown grass and broadleaf weeds. Two control plots had 4.5L of water applied utilising a hydraulic knapsack sprayer. 30ml

-4-

of silica dust (Gasil 23D) was applied in 4.5L of water to each of two randomly selected plots. The two other randomly allocated treatments were as follows:

20ml of Verdone 2 (2 plots)

30ml of Gasil 23D + 20ml of Verdone 2 (2 plots)

The application of the Verdone 2 at this rate is half the recommended dose according to the label. The plant species present in the plots were recorded prior to treatment. The plots were left, and watered only by natural rainfall and examined after 4 weeks.

- i) The control application of silicon dioxide alone had no effect on the broadleaf weeds:
- ii) The application at half the recommended rate of Verdone 2 caused a delay in the flowering of the broadleaf weeds, but did not kill these;
- iii) The control formulation of silicon dioxide and Verdone 2 caused the death of the following weed species:

Sonchus arvensis
Stellaria media
Bellis perennis
Taraxacum officinale
Medicago lupulina
Senecio jacobaeae
Ranunculus bulbosus

The silica dust alone or in combination with the Verdone 2 caused no visible harm to the grasses.

Example 3

Beauveria bassiana is an entomopathogenic fungus, that requires relatively high humidity in order to germinate and penetrate an insect cuticle. Under conditions of 70% RH *Beauveria bassiana* was tested alone and in combination with silicon dioxide (Gasil 23D), applied to filter paper and presented to the blood sucking bugs *Rhodnius prolixus*. This continuous exposure experiment conducted on 30 individual bugs produced the following results:

-5-

At 22 days mortality of 1st instar *Rhodnius* individuals treated with *B. bassiana* alone was 50% while with *B. bassiana* and silicon dioxide in combination mortality was 70% over the same period.

B. bassiana was applied to the insect perches at a rate of 2.3×10^5 conidia and 5mg of silicon dioxide per ml water and applied to the insect perches.

Example 4

Triflumuron is an insect growth regulator which inhibits insect moults between different instars. Normally, adsorption through the cuticle is inefficient with triflumuron, but with the addition of silicon dioxide triflumuron may enter via the cuticle more easily and influence development of the insects.

Triflumuron was used at 1% concentration alone and in combination with 15g/litre of Dri-die (silicon dioxide) applied to filter paper perches for the bugs *Rhodnius prolixus*.

The addition of the silica to the triflumuron treated targets resulted in increased deaths of the insects with continuous tarsal contact for 21 days.

With triflumuron alone 30% deaths were recorded due to unsuccessful moults. With the addition of silica dust 60% of deaths were caused by unsuccessful moults (defined by splitting of the cuticle of the abdomen) while an additional 30% of deaths were caused by other means.

Example 5

Silicon dioxide aerogel, Gasil 23D, kills houseflies which come into contact with it by the disruption of the integrity of the cuticle permitting water loss and hence desiccation of the insect. To test its effect against terrestrial invertebrates other than insects ten woodlice were placed in each of two plastic dishes and a filter paper placed on the bottom of each to act as a shelter. In one dish

-6-

a sprinkling of silica dust (Gasil 23D) was placed around the inside bottom rim such that isopods would make contact as they walked around the bottom of the dish. The other dish was left as a control. After 24 hours one woodlouse was dead in the control dish and six were dead in the experimental. After 48 hours nine were dead in the control and all ten were dead in the experimental. It was therefore concluded that the silica dust accelerated the rate of water loss in the experimental woodlice.

Example 6

Silicon dioxide aerogel, Gasil 23D, prolongs the activity of a synthetic pyrethroid insecticide, namely deltamethrin, when used by contact with the American cockroach, *Periplaneta Americana*.

The combination also produces the same mortality effects as a higher dose of insecticide used without the silicon dioxide adjuvant.

Example 7

An area of waste ground was divided into three plots each measuring approx 3m x 3m. The plots, on each of which the vegetation was predominantly grasses and perennial broadleaf weeds, were sprayed (using a hand sprayer) with an aqueous liquid so as to lightly wet the leaves of the vegetation. The aqueous liquids used were as follows:

- Plot 1 500 ml of water only (control);
- Plot 2 15 ml of a commercially available glyphosate weedkiller, commercially available under the trade mark Roundup GC Biactive, in 500 ml of water; and
- Plot 3 As for Plot 2, with the addition of 0.76g amorphous silicon dioxide.

The plots were then observed over a three week period, during which the prevailing weather was mostly dry and warm, with approximately four wet days (including some heavy showers and thunderstorms).

-7-

In the control plot (Plot 1), very little change was noted after two or three weeks.


In Plot 2, there was a large proportion of dead or dying vegetation after two weeks, although some tufts of grass were still green and alive. In particular, a clump of tubular-leaved "bog grass" was surviving. After three weeks, the majority of the grass remained either dead or dying; however, the "bog grass" continued to survive.

In Plot 3, all the vegetation was either dead or dying after two weeks, with all the vegetation (including the "bog grass") being dead after three weeks.

This test shows that the silica can improve the performance of a glyphosate weedkiller, both in terms of speed and the ability to kill difficult weeds.

CLAIMS:

1. A method of administering a biologically active material to a living organism having a cuticular covering, which method comprises administering a mixture of amorphous powdered silica and said biologically active material so as to disrupt said cuticular covering and permit said biologically active material to pass through said covering.
2. A method according to claim 1, wherein said biologically active material kills said living organism.
3. A method according to claim 1 or 2, wherein said living organism is a weed.
4. A method according to claim 3, wherein said biologically active material comprises at least one compound of the formula I, together with a carrier,



(I)

where X is a halogen atom and R is either halogen or a lower alkyl group and R' is either hydrogen or a lower alkyl group.

5. A method according to claim 3 or 4, wherein said biologically active material contains two compounds of said formula I, said compounds being 2-(dichlorophenoxy) acetic acid and 2-(4-chloro-o-tolyoxy) propionic acid.
6. A method according to any of claims 3 to 5, wherein said carrier is aqueous.

-9-

7. A method according to any of claims 3 to 6, wherein said carrier is substantially pure water.
8. A method according to any of claims 3 to 7, wherein said silicon dioxide is substantially anhydrous until mixed with said carrier.
9. A method according to claim 1 or 2, wherein said living organism is an insect.
10. A method according to claim 9, wherein said biologically active material comprises deltamethrin.
11. A method according to claim 9, wherein said biologically active material comprises triflumuron.
12. A method according to claim 9, wherein said biologically active material comprises a fungus.
13. A method according to claim 12, wherein said fungus comprises *Beauveria bassiana*.
14. A method of administering a biologically active material to a living organism having a cuticular covering, substantially as described herein with reference to the Examples.

INTERNATIONAL SEARCH REPORT

International Application No

PC./GB 96/02407

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A01N25/00 A01N25/08 A01N59/00 //(A01N59/00,57:20,63:04,
53:00,47:34,39:04,39:02,61:00)

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US,A,4 678 774 (I. PUTTER ET AL.) 7 July 1987 see column 1, line 24-27 see column 2, line 67 - column 3, line 8 see column 3, line 9 - line 13 ---	1,2,6-14
X,P	WO,A,96 05721 (MOSANTO COMPANY) 29 February 1996 see page 1, line 1-20 see page 12, line 28 - line 35 see page 13, line 25 - line 38 see page 14, line 25 - line 36 see page 18, line 32 - page 19, line 7 see page 19, line 38 - page 20, line 3 see page 20, line 31 - line 34 see page 23, line 12 - page 24, line 15 see examples 1-51 --- -/--	1-8

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- *&* document member of the same patent family

Date of the actual completion of the international search

4 February 1997

Date of mailing of the international search report

17 -02- 1997

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+ 31-70) 340-3016

Authorized officer

Fort, M

INTERNATIONAL SEARCH REPORT

Intern. Application No.

PC./GB 96/02407

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE WPI Derwent Publications Ltd., London, GB; AN 83-750620 XP002024456 & JP,A,58 124 703 see abstract	1,2,6-14
A	--- WO,A,94 27434 (WHITE KNIGHT ESCOSAFE INSECTICIDE COMPANY) 8 December 1994	
A	--- EP,A,0 367 934 (DEGUSSA AG) 16 May 1990 -----	

I INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PC1/GB 96/02407

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US-A-4678774	07-07-87	NONE	

WO-A-9605721	29-02-96	AU-A- 3405895	14-03-96

WO-A-9427434	08-12-94	US-A- 5439690	08-08-95
		AU-A- 6918394	20-12-94
		BR-A- 9406551	02-01-96
		EP-A- 0697811	28-02-96
		HU-A- 73155	28-06-96
		NO-A- 954613	17-01-96
		NZ-A- 267014	20-12-96
		PL-A- 311655	04-03-96

EP-A-0367934	16-05-90	DE-A- 3835592	26-04-90
		AU-B- 612521	11-07-91
		AU-A- 4292389	26-04-90
		CA-A,C 2000960	19-04-90
		JP-A- 2169506	29-06-90
		JP-B- 6006522	26-01-94
		US-A- 5122518	16-06-92
